

FLORALE CRYSTAL

600.30.300.xxx-AA

Washbasin 3-hole mixer 1/2"



(-11)
Crystal clear



(-12)
black crystal



(-16)
Amber





(-17)
Amethyst



- with crystal handles
- spout projection 125 mm
- height 165 mm
- fixed spout
- aerator M24x1
- 2 side valves with ceramic internal upper part 1/2", clockwise and counter-clockwise closure
- pop-up waste 1 1/4"
- 2 flexible hoses M10 x 1 x 1/2" x 150 mm

Recommended:

- 2x 649.15.530.xxx | copper tube 300 mm



FLORALE CRYSTAL

600.10.300.xxx-AA

Washbasin 1-hole mixer 1/2"



(-11)
crystal clear



(-12)
black crystal





(-16)
amber



(-17)
amethyst



- with crystal handles
- spout projection 125 mm
- height 165 mm
- fixed spout
- aerator M24x1
- ceramic internal upper parts 1/2"
- pop-up waste 1 1/4"
- 2 copper tubes M10x1 x 400 mm



FLORALE CRYSTAL

600.30.360.xxx-AA

Wall washbasin 3-hole mixer, assembly set ½"



(-11)
crystal clear



(-12)
black crystal



(-16)
amber







(-17)
amethyst



- wall mounting
- with crystal handles
- wall spout
- projection 180-192 mm
- aerator M24x1
- design handle, socket with adjustable, escutcheon
- cartridges with ceramic discs ½"

Required:

- **649.30.380.000** | Concealed body ½"






FLORALE CRYSTAL

649.30.380.000

Wall washbasin 3-hole mixer, concealed body 1/2"

- 2 connections 1/2", center distance 204 mm
- for assembly set XXX.30.360.xxx and XXX.30.365.xxx




FLORALE CRYSTAL

649.15.530.xxx

Copper tube, 300 mm

- with flange
- for compression joint




FLORALE CRYSTAL

649.15.550.xxx

Copper tube, 500 mm

- with flange
- for compression joint




FLORALE CRYSTAL

649.15.340.xxx

Washbasin cupped siphon trap 1 ¼"

- wall mounting
- heavy metal
- escutcheon
- outlet tube ø 32 mm
- siphon depth 165 mm



FLORALE CRYSTAL

600.10.100.xxx-AA

Bidet 1-hole mixer 1/2"



(-11)
crystal clear



(-12)
black crystal





(-16)
amber



(-17)
amethyst



- with crystal handles
- spout projection 76 mm
- height 95 mm
- aerator M24x1 with ball joint
- ceramic internal upper part 1/2"
- pop-up waste 1 1/4"
- 2 pressure hoses M10x1 x 400 mm




FLORALE CRYSTAL

649.15.330.xxx

Bidet cupped siphon trap 1 1/4"

- wall mounting
- heavy brass
- escutcheon
- outlet tube $\varnothing$ 32 mm



FLORALE CRYSTAL

600.12.100.xxx-AA

Angle valve 1/2"



(-11)
crystal clear



(-12)
black crystal




(-16)
amber



(-17)
amethyst

- wall mounting
- crystal handle
- projection 140 mm
- cartridge 1/2"
- compression joint 1/2"
- escutcheon



FLORALE CRYSTAL

600.40.100.xxx-AA

Tub/shower mixer set, deck mount 1/2"



(-11)
crystal clear



(-12)
black crystal



(-16)
amber





(-17)
amethyst



- with crystal handles
- spout projection 220 mm
- height 188 mm
- aerator M28x1
- fixed spout
- automatic tub/shower diverter
- 2 side valves, ceramic internal upper parts 1/2"
- metal shower hose 2.000 mm
- metal hand shower with anticalcareous system and backflow preventer
- flow rate hand shower 14 l/min at 3 bar

Recommended:

- **649.40.160.000** | Assembly plate, complete




FLORALE CRYSTAL

649.40.160.000

Assembly plate module

- installation under tiles or bath rim
- dimensions 680 x 150 mm
- complete metal plate with mounting elements
- recommended hose box system 649.40.150.000, 649.40.170.000




FLORALE CRYSTAL

600.11.100.xxx

Tub wall spout ¾"



- wall mounting
- spout projection 190 mm
- fixed spout
- aerator M24x1
- special concealed wall attachment



FLORALE CRYSTAL

600.20.109.xxx-AA

Exposed tub/shower mixer inclusive shower set 1/2"



(-11)
crystal clear



(-12)
black crystal





(-16)
amber



(-17)
amethyst



- with crystal handles
- spout projection 150 mm
- fixed spout, without aerator
- flow rate of the spout 20 l/min at 3 bar
- manual tub/shower diverter
- 2 ceramic internal upper part 1/2"
- metal hand shower with anticalcareous system and backflow preventer
- flow rate hand shower 14 l/min at 3 bar
- metal shower hose 1500 mm, both sides with turning cone



FLORALE CRYSTAL

600.20.149.xxx-AA

Tub/shower mixer for supply pipes, inclusive shower set ½"



(-11)
crystal clear



(-12)
black crystal



(-16)
amber



(-17)
amethyst




- free standing assembly
- with crystal handles
- spout projection with pipes 182 mm
- fixed spout, without aerator
- flow rate of the spout 20 l/min at 3 bar
- manual tub/shower diverter
- metal hand shower with anticalcareous system and backflow preventer
- flow rate hand shower 14 l/min at 3 bar
- metal shower hose 1500 mm, both sides with turning cone
- total height max. 1075 mm
- aerator height max. 695 mm

Required:

- 109.15.260.xxx | 2x water supply pipes ½"

Recommended:

- 109.10.970.000 | Assembly set for pre-installation






FLORALE CRYSTAL

109.10.970.000

Assembly set for pre-installation

- joint plate with fixing set for water supply pipes
XXX.15.260.xxx



FLORALE CRYSTAL

600.20.200.xxx-AA

Exposed shower mixer ½"



(-11)
crystal clear



(-12)
black crystal





(-16)
amber



(-17)
amethyst

- wall mounting
- crystal handles
- 2 ceramic internal upper part ½"
- discharge ½"
- concealed S-connections ½" x ¾"



FLORALE CRYSTAL

600.20.250.xxx-AA

Exposed shower thermostat 1/2"



(-11)
crystal clear



(-12)
black crystal





(-16)
amber



(-17)
amethyst

- wall mounting
- crystal handle
- cartridge with thermoelement
- heat scale and locking device at 38°C
- ceramic cartridge 1/2"



FLORALE CRYSTAL

600.20.410.xxx-AA

Exposed set with shower system 1/2"



(-11)
crystal clear



(-12)
black crystal



(-16)
amber




(-17)
amethyst



- rain shower head 1/2", ø 200 mm
- full metal body with ball joint and anticalcareous system
- flow rate rain shower head 19 l/min at 3 bar
- supply pipe, diverter, wall bracket to connect the exposed shower mixer, spout projection 360-380 mm
- fitting for hand shower adjustable in height and inclination
- metal hand shower with anticalcareous system and backflow preventer
- flow rate hand shower 14 l/min at 3 bar
- metal shower hose 1500 mm, both sides with turning cone
- exposed shower mixer for supply pipe 1/2" with crystal handles
- ceramic internal upper part 1/2"
- discharge 3/4"
- concealed S-connections 1/2" x 3/4"

Consisting of:

- **649.13.920.xxx** | Rain shower head 1/2", ø 200 mm
- **649.20.280.xxx** | Supply pipe, diverter, wall bracket
- **600.13.700.xxx** | Shower combination, complete
- **600.20.210.xxx-AA** | Exposed shower mixer 1/2"



FLORALE CRYSTAL

600.20.460.xxx-AA

Exposed thermostat-set with shower system ½"



(-11)
crystal clear



(-12)
black crystal



(-16)
amber




(-17)
amethyst



- rain shower head ½", ø 200 mm
- flow rate rain shower head 19 l/min at 3 bar
- with ball joint and anticalcareous system
- supply pipe, diverter, wall bracket to connect the exposed shower mixer, projection 360 - 380 mm
- metal hand shower with anticalcareous system and backflow preventer
- flow rate hand shower 14 l/min at 3 bar
- metal shower hose 1500 mm, both sides with turning cone
- exposed shower thermostat for supply pipe ½", with crystal handle
- cartridge with thermoelement
- heat scale, locking device at 38 °C
- ceramic cartridge ½"
- discharge ¾"
- concealed S-connections ½" x ¾"

Consisting of:

- **649.13.920.xxx** | Rain shower head ½", ø 200 mm
- **649.20.280.xxx** | Supply pipe, diverter, wall bracket
- **600.13.700.xxx** | Shower combination, complete
- **600.20.260.xxx-AA** | Exposed shower thermostat ½"



FLORALE CRYSTAL

600.40.380.xxx-AA

Concealed wall thermostat with flow control, assembly set ½"



(-11)
crystal clear



(-12)
black crystal



(-16)
amber






(-17)
amethyst



- crystal handle
- manual two way diverter with ceramic cartridge for pressure-independent function
- with integrated volume control
- with safety device
- flow rate 20,4 l/min at 3 bar

Required:

- **649.40.360.000** | Concealed wall box ½"



FLORALE CRYSTAL

600.40.360.xxx-AA

Concealed wall thermostat with flow control, assembly set 1/2"



(-11)
crystal clear



(-12)
black crystal



(-16)
amber






(-17)
amethyst



- crystal handle
- without diverter
- with integrated ceramic cartridge for volume control
- flow rate 20,4 l/min at 3 bar

Required:

- **649.40.360.000** | Concealed wall box 1/2"



FLORALE CRYSTAL

637.40.460.xxx




Concealed wall thermostat without flow control, assembly set 1/2"



- functional unit without diverter
- without shut-off
- without flow control
- flow rate 28,5 l/min at 3 bar

Required:

- **649.40.360.000** | Concealed wall box 1/2"




FLORALE CRYSTAL

649.20.612.000

Connection adapter 1/2"



- connection adapter, end plug
- for connection 649.20.610.000, 649.20.620.000, 649.20.630.000
matching for wall box 649.40.360.000




FLORALE CRYSTAL

649.40.360.000

Concealed wall box 1/2"

- for installing concealed wall thermostats 1/2"
- for wetwall and drywall construction

To order a complete unit, please order the concealed wall box with an assembly set.



FLORALE CRYSTAL

600.40.560.xxx-AA

Concealed wall thermostat without flow control $\frac{3}{4}$ "



(-11)
crystal clear



(-12)
black crystal



(-16)
amber




(-17)
amethyst



- crystal handle
- without flow control
- without diverter
- design handle for temperatur control
- locking device at 38 °C
- flow rate 64,2 l/min at 3 bar

Required:

- **649.40.555.000** | Concealed thermostat body $\frac{3}{4}$ "





FLORALE CRYSTAL

649.20.634.000

Connection adapter 3/4"



- connection adapter, end plug
- for connection 649.20.610.000, 649.20.620.000, 649.20.630.000 with thermostat body 649.40.555.000





FLORALE CRYSTAL

649.40.555.000

Concealed thermostat body $\frac{3}{4}$ "



- for assembly set XXX.40.555.xxx
- cartridge with filter screens
- for wetwall and drywall construction
- without shut-off
- flow rate 64,2 l/min at 3 bar



FLORALE CRYSTAL

600.40.520.xxx-AA

Concealed wall thermostat without flow control $\frac{3}{4}$ "



(-11)
crystal clear



(-12)
black crystal



(-16)
amber




(-17)
amethyst



- crystal handle
- without diverter
- design handle for temperature control
- locking device at 38 °C
- flow rate 41 l/min at 3 bar

Required:

- **649.40.520.000** | Concealed thermostat body $\frac{3}{4}$ "





FLORALE CRYSTAL

649.40.520.000

Concealed thermostat body $\frac{3}{4}$ "



- for assembly set XXX.40.520.xxx
- flow rate 41 l/min at 3 bar
- cartridge with filter screens
- for wetwall and drywall construction
- without shut-off
- fast thermal element shut-down in case of cold water loss, fast response time to reduce hot and cold spikes
- complete with mud guard for installation



FLORALE CRYSTAL

600.60.432.xxx-AA

Concealed wall-valve-modul assembly set



(-11)
crystal clear



(-12)
black crystal



(-16)
amber




(-17)
amethyst



- crystal handle
- escutcheon
- spindle valve $\frac{3}{4}$ ", clockwise closure with ceramic discs
- flow rate look at installation body

Required:

- **649.20.610.000** | Concealed wall-valve-modul, single
- **649.20.620.000** | Concealed wall-valve-modul, double
- **649.20.630.000** | Concealed wall-valve-modul, triple



FLORALE CRYSTAL

649.20.610.000


Concealed wall-valve-modul, single



- 2 outlets ½", each 1x right/left possible, simultaneously usable
- the module can be used as a water outlet in the installation and can be extended by the desired number of valves
- the module is supplied with brackets for wall mounting
- flow rate with ½" thermostat ø 27,6 l/min at 3 bar
- flow rate with ¾" thermostat ø 39,2 l/min at 3 bar

For the connection to the concealed part of the thermostat is required:

- 649.20.612.000 | adapter ½" or
- 649.20.634.000 | adapter ¾"



FLORALE CRYSTAL

649.20.620.000


Concealed wall-valve-modul, double



- 4 outlets $\frac{1}{2}$ " , each 2x right/left possible, simultaneously usable
- precise assembly due to composite
- the module can be used as a water outlet in the installation and can be extended by the desired number of valves
- the module is supplied with brackets for wall mounting
- flow rate with $\frac{1}{2}$ " thermostat $\varnothing$ 32,6 l/min at 3 bar
- flow rate with $\frac{3}{4}$ " thermostat $\varnothing$ 52,7 l/min at 3 bar

For the connection to the concealed part of the thermostat is required:

- 649.20.612.000 | adapter $\frac{1}{2}$ " or
- 649.20.634.000 | adapter $\frac{3}{4}$ "



FLORALE CRYSTAL

649.20.630.000


Concealed wall-valve-modul, triple



- 6 outlets $\frac{1}{2}$ " , each 3x right/left possible, simultaneously usable
- precise assembly due to composite
- the module can be used as a water outlet in the installation and can be extended by the desired number of valves
- the module is supplied with brackets for wall mounting
- flow rate with $\frac{1}{2}$ " thermostat $\varnothing$ 33 l/min at 3 bar
- flow rate with $\frac{3}{4}$ " thermostat $\varnothing$ 55,5 l/min at 3 bar

For the connection to the concealed part of the thermostat is required:

- 649.20.612.000 | adapter $\frac{1}{2}$ " or
- 649.20.634.000 | adapter $\frac{3}{4}$ "



FLORALE CRYSTAL

600.50.234.xxx-AA

Concealed wall valve, assembly set



(-11)
crystal clear



(-12)
black crystal



(-16)
amber




(-17)
amethyst




- crystal handle
- design handle
- socket with adjustable escutcheon
- flow rate for $\frac{1}{2}$ " 17 l/min at 3 bar
- flow rate for $\frac{3}{4}$ " 21 l/min at 3 bar

Required:

- **649.20.340.000** | Concealed wall valve $\frac{1}{2}$ ", body, clockwise closure
- **649.20.345.000** | Concealed wall valve $\frac{1}{2}$ ", body, counter-clockwise closure
- **649.20.440.000** | Concealed wall valve $\frac{3}{4}$ ", body, clockwise closure
- **649.20.445.000** | Concealed wall valve $\frac{3}{4}$ ", body, counter-clockwise closure



mit Einbaukörper / with concealed body $\frac{1}{2}$ "




mit Einbaukörper / with concealed bod $\frac{3}{4}$ "

FLORALE CRYSTAL

649.20.340.000

Concealed wall valve 1/2", body

- clockwise closure
- ceramic discs 1/2"
- flow rate 17 l/min at 3 bar




Einbaukörper 1/2"

FLORALE CRYSTAL

649.20.345.000

Concealed wall valve 1/2", body

- counter-clockwise closure
- ceramic discs 1/2"
- flow rate 17 l/min at 3 bar




Einbaukörper 1/2"

FLORALE CRYSTAL

649.20.440.000

Concealed wall valve $\frac{3}{4}$ ", body

- clockwise closure
- ceramic discs $\frac{3}{4}$ "
- flow rate 21 l/min at 3 bar




Einbaukörper $\frac{3}{4}$ "

FLORALE CRYSTAL

649.20.445.000

Concealed wall valve $\frac{3}{4}$ ", body

- counter-clockwise closure
- ceramic discs $\frac{3}{4}$ "
- flow rate 21 l/min at 3 bar



Einbaukörper $\frac{3}{4}$ "

FLORALE CRYSTAL

600.40.650.xxx-AA

Concealed 3-position diverter, assembly set ½"



(-11)
crystal clear



(-12)
black crystal



(-16)
amber





(-17)
amethyst



- design handle
- socket with adjustable escutcheon
- flow rate 52 l/min at 3 bar

Required:

- 649.40.600.000 | Concealed 3-position diverter ½", diverter body





FLORALE CRYSTAL

649.40.600.000

Concealed 3-position diverter ½" diverter body

- for assembly set XXX.40.650.xxx
- flow rate 52 l/min at 3 bar



FLORALE CRYSTAL

600.13.310.xxx-AA

Shower bar set, complete ½"



(-11)
crystal clear



(-12)
black crystal




(-16)
amber



(-17)
amethyst



- wall mounting
- wall bar 790 mm, with slider
- metal hand shower with anticalcareous system and backflow preventer
- flow rate hand shower 14 l/min at 3 bar
- metal shower hose 1750 mm, both sides with turning cone





FLORALE CRYSTAL

600.13.210.xxx

Shower combination 1/2"



- wall fitting and elbow connection 1/2"
- metal hand shower with anticalcareous system and backflow preventer
- flow rate hand shower 14 l/min at 3 bar
- metal shower hose 1500 mm, both sides with turning cone




FLORALE CRYSTAL

600.13.150.xxx

Wall elbow connection without cradle 1/2"

- wall mounting
- discharge 1/2"
- with backflow preventer
- escutcheon




FLORALE CRYSTAL

649.13.210.xxx

Wall fitting for hand shower

- wall mounting
- escutcheon $\varnothing$ 50 mm
- suitable for all hand showers





FLORALE CRYSTAL

600.13.237.xxx

Ablution spray combination ½"



- wall fitting and elbow connection ½"
- spray hand shower 649.13.338.xxx, completely metal
- one jet, push-lever operation
- flexible metal shower hose 1250 mm
- flow rate with water limitation 6,9 l/min



FLORALE CRYSTAL

605.20.237.xxx


Concealed single lever for ablution spray, assembly set ½"



- design handle
- escutcheon
- flow rate 26 l/min at 3 bar

Required:

- **649.20.237.000** | Single lever mixer ½", concealed body





FLORALE CRYSTAL

649.20.237.000

Single lever mixer ½", concealed body

- cartridge with ceramic discs ½"
- for assembly set XXX.20.237.xxx
- flow rate 26 l/min at 3 bar



FLORALE CRYSTAL


649.13.615.xxx

Body spray shower head ½"



- ø 230 mm
- 75 jets
- full metal
- anticalcareous system
- swivel shower head
- with ball joint
- without wall bracket
- flow rate 18 l/min at 3 bar

- **Please order wall or ceiling bracket with the rain shower head separately.**




FLORALE CRYSTAL

649.13.625.xxx

Wall bracket 1/2"

- wall mounting
- spout projection 162 mm




FLORALE CRYSTAL

649.13.519.xxx

Body spray side shower ½"



- wall mounting
- escutcheon ø 130 mm
- material: plastic
- swivel shower head, 20°
- anticalcareous system
- flow rate 3,6 l/min at 3 bar



FLORALE CRYSTAL

600.00.002.xxx-AA

Double towel bar



(-11)
crystal clear



(-12)
black crystal





(-16)
amber



(-17)
amethyst

- wall model
- swivelling bars
- double
- approx. 430 mm



FLORALE CRYSTAL

600.00.012.xxx-AA

Double towel bar



(-11)
crystal clear



(-12)
black crystal





(-16)
amber



(-17)
amethyst

- wall model
- swivel bars, shortened
- approx. 300 mm



FLORALE CRYSTAL

600.00.047.xxx-AA

Towel ring



(-11)
crystal clear



(-12)
black crystal





(-16)
amber



(-17)
amethyst



- wall model
- ø approx. 190 mm
- closed version



FLORALE CRYSTAL

600.00.022.xxx-AA

Robe hanger



(-11)
crystal clear



(-12)
black crystal





(-16)
amber



(-17)
amethyst

- wall model
- single



FLORALE CRYSTAL

600.00.040.xxx-AA

Bath towel bar



(-11)
crystal clear



(-12)
black crystal





(-16)
amber



(-17)
amethyst

- wall model
- approx. 800 mm



FLORALE CRYSTAL

600.00.031.xxx-AA

Tub handle



(-11)
crystal clear



(-12)
black crystal





(-16)
amber



(-17)
amethyst

- wall model
- approx. 300 mm



FLORALE CRYSTAL

600.00.104.xxx-AA

Guest towel basket, angular



(-11)
crystal clear




(-12)
black crystal





(-16)
amber



(-17)
amethyst



- wall model
- upper basket for clean towels
- bottom basket for used towels
- basket size 260 x 150 x 190 mm



FLORALE CRYSTAL

600.00.105.xxx-AA

Sponge basket



(-11)
crystal clear



(-12)
black crystal






(-16)
amber



(-17)
amethyst

- wall model
- rectangular
- 260 x 130 mm



FLORALE CRYSTAL

600.00.106.xxx-AA

Corner sponge basket



(-11)
crystal clear



(-12)
black crystal





(-16)
amber



(-17)
amethyst



- wall model
- triangular
- 195 x 195 mm



FLORALE CRYSTAL

600.00.006.xxx-AA

Soap dispenser, complete



(-11)
crystal clear



(-12)
black crystal





(-16)
amber



(-17)
amethyst

- wall model
- crystal glass, frosted



FLORALE CRYSTAL

600.00.007.xxx-AA

Soap dish holder, complete



(-11)
crystal clear



(-12)
black crystal





(-16)
amber



(-17)
amethyst

- wall model
- crystal glass dish, clear



FLORALE CRYSTAL

600.00.036.xxx-AA

Tumbler holder, complete



(-11)
crystal clear



(-12)
black crystal





(-16)
amber



(-17)
amethyst

- wall model
- crystal glass tumbler



FLORALE CRYSTAL

600.00.009.xxx-AA

Shelf holder with glass



(-11)
crystal clear



(-12)
black crystal




(-16)
amber



(-17)
amethyst

- wall model
- crystal glass shelf
- 600 mm



FLORALE CRYSTAL

600.00.014.xxx-AA

Toilet paper roll holder



(-11)
crystal clear



(-12)
black crystal





(-16)
amber



(-17)
amethyst

- wall model
- with lid



FLORALE CRYSTAL

600.00.024.xxx-AA

Toilet paper roll holder



(-11)
crystal clear



(-12)
black crystal





(-16)
amber



(-17)
amethyst

- wall model
- with shelf
- escutcheon





FLORALE CRYSTAL

632.00.024.xxx

Toilet paper roll holder

- wall model
- with shelf



FLORALE CRYSTAL

600.00.015.xxx-AA

Spare toilet paper roll holder



(-11)
crystal clear



(-12)
black crystal





(-16)
amber



(-17)
amethyst

- wall model
- for a spare roll of paper



FLORALE CRYSTAL

600.00.000.xxx-AA

Toilet brush holder set, complete



(-11)
crystal clear



(-12)
black crystal





(-16)
amber



(-17)
amethyst



- wall model
- crystal glass, frosted





FLORALE CRYSTAL

600.00.061.xxx

Wall lamp, complete

- wall model
- light bulb included, 40 W



FLORALE CRYSTAL

649.00.414.xxx

Cosmetic mirror, inclusive lighting



- wall model
- swivelling and extendable
- magnification 3:1
- direct connection
- mirror $\varnothing$ 185 mm
- frame $\varnothing$ 250 mm
- touch control of the background light

